



MINISTRY OF DEFENCE

# **JSP 886 DEFENCE LOGISTIC SUPPORT CHAIN MANUAL**

## **VOLUME 7 INTEGRATED LOGISTICS SUPPORT**

### **PART 8.04 RELIABILITY AND MAINTAINABILITY**

**THE MASTER VERSION OF JSP 886 IS PUBLISHED ON  
THE DEFENCE INTRANET.**

**FOR TECHNICAL REASONS, EXTERNAL LINKS ON THIS  
INTERNET VERSION HAVE BEEN REMOVED.**

#### **VERSION RECORD**

<b>Version Number</b>	<b>Version Date</b>	<b>Details of Change</b>
1.0	12/03/10	Initial publication
1.1	05/07/10	Reference to DRACAS added to paragraph 12
2.0	01/07/11	Updated Contact Information
2.1	15/03/12	New Chapter 2: DRACAS added.

# INTERNET VERSION – MASTER IS ON THE DEFENCE INTRANET

## Contents

Contents .....	2
<b>CHAPTER 1: INTRODUCTION TO RELIABILITY AND MAINTAINABILITY .....</b>	<b>3</b>
CONTEXT.....	3
POLICY.....	3
PRECEDENCE AND AUTHORITY .....	4
PROCESS .....	4
KEY PRINCIPLES.....	4
ASSOCIATED STANDARDS AND GUIDANCE .....	5
OWNERSHIP .....	5
<b>CHAPTER 2: DATA RECORDING, ANALYSIS AND CORRECTIVE ACTION SYSTEM (DRACAS) .....</b>	<b>6</b>
CONTEXT.....	6
POLICY.....	6
PROCESS .....	6

## **CHAPTER 1: INTRODUCTION TO RELIABILITY AND MAINTAINABILITY**

### **CONTEXT**

1. This part provides key points of policy and guidance for the specification, development and management of Reliability and Maintainability (R&M) for Through Life Support (TLS).
2. R&M also encompasses the discipline of Reliability Centred Maintenance (RCM), which is closely related and forms an integral part of Supportability Engineering. Both R&M and RCM can have a profound effect on Availability, especially on operations, and during peacetime training. Failure to follow MOD policy in either of these important areas will jeopardise Capability, inflate Through Life Costs (TLC) and undermine Safety and Morale.
3. R&M is a generic term which embraces the qualities of:
  - a. Availability.
  - b. Reliability.
  - c. Maintainability.
  - d. Durability.
  - e. Reliability Centred Maintenance (RCM).
  - f. Testability.

### **POLICY**

4. It is MOD policy that the following process and procedure are applied to all MOD projects.
  - a. R&M shall be afforded full consideration, along with equipment performance, cost and project timescale, through the life of the equipment.
  - b. R&M shall be addressed in Initial Gate and Main Gate Business Cases, to the satisfaction of the Investment Appraisal Board.
  - c. Robust and measurable R&M requirements shall be included in procurement and support contracts.
  - d. RCM shall be included in procurement contracts, to derive preventive maintenance programmes for new capabilities.
  - e. Progressive Assurance shall be used to demonstrate that contractual R&M requirements have been met during Demonstration, Manufacture and In-service.
  - f. RCM shall be used to review and revise preventive maintenance programmes at regular intervals during the In-service phase.
  - g. Project Team (PT) Leaders shall appoint competent Focal Points (FPs) to manage routine R&M activities through the life of the equipment. FPs should complete specific FP training available through the Defence Academy

## INTERNET VERSION – MASTER IS ON THE DEFENCE INTRANET

5. In recognition of the diversity of platforms, equipment and other support strategies an element of tailoring of the best practice, techniques and methodologies may be required to optimise and achieve these goals.

### PRECEDENCE AND AUTHORITY

6. Ownership of Logistics policy in support of the Logistics Process falls to the Assistant Chief of Defence Staff Logistics Operations (ACDS Log Ops) as Chief of Defence Materiel (CDM) Process Architect<sup>1</sup>. This role is exercised through the Defence Logistics Working Group (DLWG) and the Defence Logistics Steering Group (DLSG) reporting up to the Defence Logistics Board (DLB). It is against this governance framework that sponsorship<sup>2</sup> for R&M policy is delegated to Hd JSC SCM. PTs are required to assess and show compliance with key policies and governance as signposted by the SSE.

### PROCESS

7. Process, procedure and guidance are provided in the [DEFSTAN 00-40 series](#).

### KEY PRINCIPLES

8. The principles of Progressive Assurance ([DEFSTAN 00-42:R&M, Assurance Activity](#)) and the R&M Case have been adopted as a means by which the R&M qualities of products are managed through their life cycle, in recognition that different products and technologies require particular or unique engineering activities. This is achieved by satisfying the following objectives:

- a. The Purchaser shall determine the R&M requirements and demonstrate that the requirements and their implications are understood by the Purchaser and the Supplier; ([DEFSTAN 00-40: Reliability & Maintainability](#)).
- b. A programme of activities shall be planned and implemented to satisfy the Purchaser's R&M requirements.
- c. The Purchaser shall be provided with assurance that the R&M requirements have been satisfied. The R&M case and supporting evidence will be found in the project Through Life Management Plan (TLMP).

9. The Supplier is free to propose the activities required to fulfil the second objective. The third objective is to be satisfied by the provision of progressive assurance, accumulated during the design, the development and the early production processes. This assurance will be provided to the Purchaser by means of R&M Case Reports, supported by the appropriate closed loop reliability related issues management system (i.e. Data Recording and Corrective Action System (DRACAS)), specified within the R&M Case Evidence Framework. [DEFSTAN 00.42 Part 3](#) is the main reference, supported by the R&M processes on the Acquisition Operating Framework (AOF).

10. R&M data forms an essential building block of any Integrated Logistics Support (ILS) programme. To maximise the benefits and minimise costs it is imperative that ILS and R&M activities are co-ordinated from the outset.

---

<sup>1</sup> JSP899: Logistics Process – Roles and Responsibilities.

<sup>2</sup> Sponsor - The person responsible for the content, currency and publication of a JSP (as per letter of delegation). Responsibility established through Letters of Delegation (LoD), issued through the DLWG chair and exercised through Terms of Reference.

## ASSOCIATED STANDARDS AND GUIDANCE

11. The following documents provide associated Standards and Guidance:
  - a. [JSP 471: Defence Nuclear Accident Response.](#)
  - b. [JSP 482 MOD Explosives Regulations.](#)
  - c. [JSP 886 Volume 5 Part 2: Land Equipment Support.](#)
  - d. [BR1313 Maintenance Management in Surface Ships.](#)
  - e. [MAP-01: Manual of Maintenance and Airworthiness Processes.](#)
  - f. [R&M Handbook: An Introduction for MOD Staff.](#)
  - g. [DEFSTAN 00-40: Reliability & Maintainability.](#)
  - h. [DEFSTAN 00-42: R&M Assurance Activity.](#)
  - i. [DEFSTAN 00-44: R&M Data Collection & Classification.](#)
  - j. [DEFSTAN 00-45: Using RCM to Manage Engineering Failures.](#)
  - k. [DEFSTAN 00-49: Guide to R&M Terminology Used In Requirements.](#)

## OWNERSHIP

12. The policy for Reliability and Maintainability is sponsored by the DES JSC SCM-EngTLS Principal Reliability Engineer.

- a. Sponsor details:

[DES JSC SCM-EngTLS-Reliability](#)

Cedar 2A #3239, MOD Abbey Wood, BRISTOL BS32 8JH

Tel: Mil: 9679 37755, Civ: 030679 37755

- b. Document Editor:

[DES JSC SCM-SCPol-Editorial Team](#)

Cedar 1A #3139, MOD Abbey Wood, BRISTOL BS32 8JH

Tel: Mil: 9679 82700, Civ: 030679 82700

## **CHAPTER 2: DATA RECORDING, ANALYSIS AND CORRECTIVE ACTION SYSTEM (DRACAS)**

### **CONTEXT**

1. Many approaches to Data Recording, Analysis and Corrective Action System (DRACAS) end with the entry to service, benefit can be delivered by continuing into the in-service phase as the discipline of DRACAS will allow in-service “events” to be collected, analysed, corrected, and tracked within a closed loop. This will allow the product to be improved overtime resulting in lower whole life costs, better understood and reduced safety and operational risks.
2. The system should be easy to use and provide feedback to the user. The information gained by the Project Team (PT) allows the identification and prioritisation of remedial work on the design, operation or maintenance of the equipment.

### **POLICY**

3. It is MOD policy that all equipment users will be able to report faults, failures and serious incidents to the PT supporting the equipment. The PT will analyse these reports, initiate corrective action where required and provide feedback to the originator.

### **PROCESS**

4. The established MOD systems to allow users to report faults, failures and serious incidents are:
  - a. **Maritime Environment:** RN Form S2022: Report of Shortcoming in Material, Design, Support or Documentation. [BR1313 Maintenance Management in Surface Ships](#), Chapter 5: Form S2022 or S2022A.
  - b. **Land Environment:** AF G8267A / B: Equipment Failure Report (Army). Guidance in [JSP 886 Volume 5 Part 2: Land Equipment Support](#). Chapter 3: Equipment Fault Reporting.
  - c. **Military Air Environment:** MOD Form 760: Narrative Fault Reporting (Air). Guidance in [MAP-01: Manual of Maintenance and Airworthiness Processes](#). Chapter 7.5: Fault Reporting.
  - d. **Munitions:** MOD Form 1671: Munitions Accident / Near Miss Report. Guidance in [JSP 482 MOD Explosives Regulations](#). Chapter 25: Munitions Incidents Reporting and Investigation.
  - e. **Nuclear:** [JSP 471: Defence Nuclear Accident Response](#).
5. These systems should be used in preference to bespoke systems for front-line reporting and feedback, it is the PT's responsibility to ensure that these standard MOD systems feed into the project DRACAS and that appropriate resource is available to action reports in a timely fashion, ensure appropriate feedback to the user.